

BUBBBB Modelec

Inspiration sourcebook Our finishes **BUBOX CLASSIC BUBOX LINE** Kit and accessories Installation solutions




20
22
26
30
32
33

INSPIRATION SOURCEBOOK





OUR FINISHES







2P+T FRANCO-BELGIAN SOCKET - BFL102/2

BUE




BRUSHED RAW BRASS LID - /1

2P+T FRANCO-BELGIAN SOCKET - BFL102/1

BUBOX LINE

BUBOX LINE




BUBOX **BY MODELEC**

Discover our IP67 watertight floorbox, combining modern design and cutting-edge technology to meet all your electrical needs, whether indoors or outdoors.

Designed to guarantee optimum protection against dust and water splashes, our floor sockets are ideal for demanding environments.

PROTECTION RATING	TIMELESS DESIGN A sleek, attractive cover with no visible screws, made from raw brushed brass or
IP67 Closed socket	brushed 316L stainless steel, ideal for aggressive environments. Often used for marine applications, 316L stainless steel is highly resistant to corrosion (seaside, swimming pool) A discreet, elegant design that blends harmoniously into both classic and contemporary interiors.
IP20 Opened socket	✓ INSTALLATION ON ANY TYPE OF FLOOR For smoothed or waxed concrete, tiles, parquet, joists, hollow floors, wooden or stone terraces, etc.
IK10 Shock resistance	SAFETY
↓ 2000 kg Crush resistance	Automatic earthing, factory-fitted seals, anti-condensation drain included . A ready-to-install product, supplied with all installation accessories.
INOX 316L Marine use, corrosion resistance	ROBUSTNESS AND HIGH PROTECTION RATINGS Our range of watertight floorbox has the highest protection ratings on the market, with high impact resistance (IK10) and crush resistance (2 tonnes). This protection is further enhanced by solid covers 5mm thick for BUBOX CLASSIC and 6mm thick for BUBOX LINE.
+120°C Maximum temperature	

Classic, 1. Bubox watertight floorbox and Aquastop, Brushed 316L stainless steel




1.

BUBOX



Flush-mounted box







Mechanism support Automatic grounding

Included anti-condensation drain Enhanced safety and product longevity

BUBOX **BY MODELEC**

BUBOX CLASSIC

BUBOX CLASSIC watertight floorbox combine robustness, safety and stylish design to meet the needs of your projects, wherever they may be. They offer two options for opening their lid, including a secure opening.


Their flush-mounted boxes can be attached to each other to create multiple watertight floorbox. With the terrace kit, they can be installed in hollow ground, while with the concrete kit, they can be installed in concrete screed by reservation for a perfect flush installation.

The solution for all your outdoor projects.

EQUIPED WATERTIGHT FLOORBOX, STANDARD OPENING **BUBOX CLASSIC**

Our BUBOX CLASSIC watertight floorbox are sold assembled with the mechanism and its support. Please refer to the diagram below.

Standard opening lid + mechanism + mechanism support



BFC101- $$ Standard opening lid + mechanism black schuko socketBFC101/1BFC101/2BFC102- $$ Standard opening lid + mechanism black 2P+T franco-belgian socketBFC102/1BFC102/2BFC106- $$ Standard opening lid + mechanism black 2P+T franco-belgian socketBFC102/1109/20 €BFC106- $$ Standard opening lid + mechanism black swiss socketBFC106/1BFC106/2BFC106- $$ Standard opening lid + mechanism black swiss socketBFC106/1BFC106/2BFC107- $$ Standard opening lid + mechanism black italian bipasso socketBFC107/2BFC107/2BFC10411- $$ Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/133,20 €	Watertight floorbox with standard opening BUBOX CLASSIC Dimensions of the watertight floorbox (with its flush-mounted box):100x100x59mm *		Brushed raw bras /1	
RETAIL PRICE EX TAX121,10 €109,20 €BFC106- $\widehat{1000}$ Standard opening lid + mechanism black swiss socketBFC106/1BFC106/2BFC107- $\widehat{1000}$ Standard opening lid + mechanism black italian bipasso socketBFC107/1BFC107/2BFC107- $\widehat{1000}$ Standard opening lid + mechanism black italian bipasso socketBFC107/1BFC107/2RETAIL PRICE EX TAX131,40 €119,40 €BFC10411- $\widehat{1000}$ BFC10411- $\widehat{11000}$ BFC10411- $\widehat{11000}$ BFC10411- $\widehat{110000}$ BFC10411- $\widehat{1100000}$ BFC10411- $1100000000000000000000000000000000000$	BFC101-	Standard opening lid + mechanism black schuko socket	BFC101/1	BFC101/2
BFC106- $\widehat{(100)}$ Standard opening lid + mechanism black swiss socketBFC106/1BFC106/2BFC107- $\widehat{(100)}$ Standard opening lid + mechanism black italian bipasso socketBFC107/1BFC107/2CRETAIL PRICE EX TAX131,40 €119,40 €BFC10411- $\widehat{(100)}$ Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2BFC10421- $\widehat{(100)}$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/1	BFC102-	Standard opening lid + mechanism black 2P+T franco-belgian socket	BFC102/1	BFC102/2
BFC107- $\overbrace{(1)}$ Standard opening lid + mechanism black italian bipasso socketBFC107/1BFC107/2RETAIL PRICE EX TAX131,40 €119,40 €BFC10411- $\overbrace{(1)}$ $\overbrace{(1)}$ Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2BFC10411- $\overbrace{(1)}$ $\overbrace{(1)}$ Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2BFC10411- $\overbrace{(1)}$ $\overbrace{(1)}$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2BFC10421- $\overbrace{(1)}$ $\overbrace{(1)}$ Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/2		RETAIL PRICE EX TAX	121,10€	109,20€
RETAIL PRICE EX TAX131,40 €119,40 €BFC10411-Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2RETAIL PRICE EX TAX131,40 €BFC10411-19,40 €BFC10411-Standard opening lid + mechanism black screened RJ45 cat 6ABFC10411/1BFC10411/2BFC10421-Standard opening lid + mechanism double black screened RJ45 cat 6ABFC10421/1BFC10421/1	BFC106-	Standard opening lid + mechanism black swiss socket	BFC106/1	BFC106/2
BFC10411- Image: Standard opening lid + mechanism black screened RJ45 cat 6A BFC10411/1 BFC10411/2 RETAIL PRICE EX TAX 131,40 € 119,40 € BFC10421- Image: Standard opening lid + mechanism double black screened RJ45 cat 6A BFC10421/1 BFC10421/2	BFC107-	Standard opening lid + mechanism black italian bipasso socket	BFC107/1	BFC107/2
BFC10421- Image: Standard opening lid + mechanism double black screened RJ45 cat 6A BFC10421/1 BFC10421/1		RETAIL PRICE EX TAX	131,40€	119,40€
BFC10421- Standard opening lid + mechanism double black screened RJ45 cat 6A BFC10421/1 BFC10421/2	BFC10411-	Standard opening lid + mechanism black screened RJ45 cat 6A	BFC10411,	/1 BFC10411/2
		RETAIL PRICE EX TAX	131,40€	119,40 €
RETAIL PRICE EX TAX 149,20 € 139,20 €	BFC10421-	Standard opening lid + mechanism double black screened RJ45 cat 6A	BFC10421/	/1 BFC10421/2
		RETAIL PRICE EX TAX	149,20€	139,20€


*The **BUBOX CLASSIC** watertight floorbox must be installed in the BUBOX flush-mounted box (ref: BFC160) to ensure overall waterproofing.

Don't forget to order the keys for standard and secure openings.

BUBOX CLASSIC

EQUIPED WATERTIGHT FLOORBOX, SECURED OPENING **BUBOX CLASSIC**





	of the watertig	ox with secured opening ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	Brushed raw brass /1	Brushed 3 stainless s /2
BFC111-		Secured opening lid + mechanism black schuko socket	BFC111/1	BFC111/2
BFC112-		Secured opening lid + mechanism black 2P+T franco-belgian socket	BFC112/1	BFC112/2
		RETAIL PRICE EX TAX	121,10€	109,20€
BFC116-		Secured opening lid + mechanism black swiss socket	BFC116/1	BFC116/2
BFC117-		Secured opening lid + mechanism black italian bipasso socket	BFC117/1	BFC117/2
		RETAIL PRICE EX TAX	131,40 €	119,40€
BFC11411-	(I)	Secured opening lid + mechanism black screened RJ45 cat 6A	BFC11411/1	BFC11411,
		RETAIL PRICE EX TAX	131,40€	119,40€
BFC11421-		Secured opening lid + mechanism double black screened RJ45 cat 6A	BFC11421/1	BFC11421
		RETAIL PRICE EX TAX	149,20€	139,20€
		BUBOX CLASSIC		5
				27

BRUSHED 316L STAINLESS STEEL /2 -WATERTIGHT FLOORBOX WITH STANDARD OPENING

BUBOX CLASSIC



Secured opening lid + mechanism + mechanism support




BRUSHED 316L STAINLESS STEEL /2 -WATERTIGHT FLOORBOX WITH SECURED OPENING

BUBOX BY MODELEC BUBOX CLASSIC

BUBOX CLASSIC

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX **BUBOX CLASSIC**


The BUBOX flush-mounted box and the keys for opening the lids are essential accessories for the proper installation of your BUBOX watertight floorbox.





The box must be installed with the **BUBOX CLASSIC** watertight floorbox. (ref:BFC1XX/X)


Possibility to assemble multiple flush-mounted boxes using tenon-and-mortise joints. Dimensions of a 4-box unit: 200 x 200 mm.













BRUSHED 316L STAINLESS STEEL TERRACE KIT BUBOX CLASSIC



1. Bubox Classic, Brushed 316L stainless steel, watertight floorbox and terrace kit

BUBOX BY MODELEC BUBOX LINE


Less is more.

While retaining the robustness and performance for which our watertight floorbox are renowned, and the technical advantages of BUBOX CLASSIC, BUBOX LINE is the perfect combination of top-of-therange functionality and refined design. The lines of the flush-mount box disappear beneath the cover, giving way to an even more refined design. A meticulous finish for the most demanding projects, wherever they may be.

EQUIPED WATERTIGHT FLOORBOX, STANDARD OPENING **BUBOX LINE**

Our BUBOX LINE watertight floorbox are sold assembled with the mechanism and its support. Please refer to the diagram below.

Standard opening lid + mechanism + mechanism support



Watertight floorbox with standard opening BUBOX LINE Dimensions of the watertight floorbox (with its flush-mounted box):100x100x59mm		Brushed raw brass /1	Brushed 316L stainless steel /2	
BFL101-		Standard opening lid + mechanism black schuko socket	BFL101/1	BFL101/2
BFL102-		Standard opening lid + mechanism black 2P+T franco-belgian socket	BFL102/1	BFL102/2
		RETAIL PRICE EX TAX	161,10€	149,20€
BFL106-	(Standard opening lid + mechanism black swiss socket	BFL106/1	BFL106/2
BFL107-		Standard opening lid + mechanism black italian bipasso socket	BFL107/1	BFL107/2
		RETAIL PRICE EX TAX	171,40 €	159,40€
BFL10411-		Standard opening lid + mechanism black screened RJ45 cat 6A	BFL10411/1	BFL10411/2
		RETAIL PRICE EX TAX	171,40€	159,40€
BFL10421-		Standard opening lid + mechanism double black screened RJ45 cat 6A	BFL10421/1	BFL10421/2
		RETAIL PRICE EX TAX	189,20 €	179,20€

*The **BUBOX LINE** watertight floorbox must be installed in the BUBOX flush-mounted box (ref: BFL160) to ensure overall waterproofing

Don't forget to order the keys for standard openings.

BUBOX BY MODELEC BUBOX I INF

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX **BUBOX LINE**

The BUBOX flush-mounted box and the keys for opening the lids are essential accessories for the proper installation of your BUBOX watertight floorbox.

Flat-head key for watertight floorbox **BUBOX LINE**









BUBOX BY MODELEC

Kit and accessories Bubox Classic and Bubox Line

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX BUBOX CLASSIC ET BUBOX LINE



A solution for every project

BUBOX by MODELEC is designed to be installed in various types of flooring, suitable for both construction and renovation projects in the most demanding environments.

INSTALLATION IN CONCRETE SCREED BUBOX CLASSIC BUBOX LINE



INSTALLATION ON HOLLOW FLOOR WITH TERRACE KIT (WOOD OR TILE ON SUPPORTS) BUBOX CLASSIC BUBOX LINE





INSTALLATION ON JOISTS WITHOUT TERRACE KIT BUBOX CLASSIC BUBOX LINE



INSTALLATION ON HOLLOW FLOOR WITHOUT TERRACE KIT (WOOD OR TILE ON SUPPORTS) BUBOX CLASSIC BUBOX LINE



For a flush floor installation without the terrace kit, use the leveling plate. (ref : BFK119)



www.modelec.com

COMMERCIAL SERVICE

ZA Méré Gare 78490 Méré - FRANCE +33 (0)1 34 86 86 65 contact@modul.com